


# Option A




Front fascia  
Sectional stacked panels  
Main green logo stood off with halo  
Internally illuminated text on all panels

Horizontal funeral panel  
Full trough light




Side fascia  
Sectional stacked panels  
Main green logo stood off with halo  
Internally illuminated text on all panels

# Option B




Front fascia  
Single background panel  
Main green logo stood off with halo  
All internally illuminated text

Horizontal funeral panel  
Full trough light




Side fascia  
Single background panel  
Main green logo stood off with halo  
All internally illuminated text


# Option C



Front fascia  
Single background panel  
All detail in vinyl  
Externally illuminated by troughlight




Horizontal funeral panel  
Full trough light



Side fascia  
Single background panel  
Main green logo stood off with halo  
All internally illuminated text

# Option D




Front fascia  
Sectional stacked panels  
Main green logo stood off with halo  
Internally illuminated text on all panels



Side fascia  
Sectional stacked panels  
Main green logo stood off with halo  
Internally illuminated text on all panels

# Option E




Front fascia  
Single background panel  
Main green logo stood off with halo  
All internally illuminated text




Side fascia  
Single background panel  
Main green logo stood off with halo  
All internally illuminated text

# Option F




Front fascia  
Single background panel  
All detail in vinyl  
Externally illuminated by troughlight

Vertical funeral panel  
Full trough light



Side fascia  
Single background panel  
All detail in vinyl  
Externally illuminated by troughlight

# LED Layout




**ESTIMATED PRODUCT B.O.M.**

Product	(48) 701269-4WMA3-MB; VL Plus 3 White Mini modules
Power Supply	(1) 701507-60C1; 60C1
Cable	1 Each 400299-100; 100' roll of jacketed cable

**LAYOUT DETAILS**

Can Depth	50.0 mm	Module Power Usage	23.5 watts	Area	0.336 m <sup>2</sup>	Date	June 07, 2019
Row Spacing	N/A	Total System Power	29.4 watts	Perimeter	3.638 m	Company	Innovar Sign and Design Limited
Modules per Meter	9.8			Overall Dimensions	209 mm x 1610 mm	Name	Kevin Waspe



**ESTIMATED PRODUCT B.O.M.**

Product	(99) 701269-4WMA3-MB; VL Plus 3 White Mini modules
Power Supply	(1) 701507-60C1; 60C1
Cable	1 Each 400299-100; 100' roll of jacketed cable

**LAYOUT DETAILS**

Can Depth	50.0 mm	Module Power Usage	48.5 watts	Area	1.051 m <sup>2</sup>	Date	June 07, 2019
Row Spacing	102 mm	Total System Power	60.6 watts	Perimeter	4.116 m	Company	Innovar Sign and Design Limited
Modules per Meter	9.8			Overall Dimensions	1115 mm x 943 mm	Name	Kevin Waspe



**ESTIMATED PRODUCT B.O.M.**

Product	(26) 701269-4WMA3-MB; VL Plus 3 White Mini modules
Power Supply	(1) 701880; Self-contained 20
Cable	1 Each 400299-100; 100' roll of jacketed cable

**LAYOUT DETAILS**

Can Depth	50.0 mm	Module Power Usage	12.7 watts	Area	0.256 m <sup>2</sup>	Date	June 07, 2019
Row Spacing	102 mm	Total System Power	15.9 watts	Perimeter	2.904 m	Company	Innovar Sign and Design Limited
Modules per Meter	9.8			Overall Dimensions	1247 mm x 205 mm	Name	Kevin Waspe



**ESTIMATED PRODUCT B.O.M.**

Product	(15) 701269-4WMA3-MB; VL Plus 3 White Mini modules
Power Supply	(1) 701880; Self-contained 20
Cable	1 Each 400299-100; 100' roll of jacketed cable

**LAYOUT DETAILS**

Can Depth	50.0 mm	Module Power Usage	7.3 watts	Area	0.103 m <sup>2</sup>	Date	June 07, 2019
Row Spacing	102 mm	Total System Power	9.2 watts	Perimeter	1.402 m	Company	Innovar Sign and Design Limited
Modules per Meter	9.8			Overall Dimensions	209 mm x 492 mm	Name	Kevin Waspe



**ESTIMATED PRODUCT B.O.M.**

Product	(18) 701269-4WMA3-MB; VL Plus 3 White Mini modules
Power Supply	(1) 701880; Self-contained 20
Cable	1 Each 400299-100; 100' roll of jacketed cable

**LAYOUT DETAILS**

Can Depth	50.0 mm	Module Power Usage	8.8 watts	Area	0.127 m <sup>2</sup>	Date	June 07, 2019
Row Spacing	102 mm	Total System Power	11.0 watts	Perimeter	1.632 m	Company	Innovar Sign and Design Limited
Modules per Meter	9.8			Overall Dimensions	209 mm x 607 mm	Name	Kevin Waspe



**ESTIMATED PRODUCT B.O.M.**

Product	(48) 701269-4WMA3-MB; VL Plus 3 White Mini modules
Power Supply	(1) 701507-60C1; 60C1
Cable	1 Each 400299-100; 100' roll of jacketed cable

**LAYOUT DETAILS**

Can Depth	50.0 mm	Module Power Usage	23.5 watts	Area	0.336 m <sup>2</sup>	Date	June 07, 2019
Row Spacing	102 mm	Total System Power	29.4 watts	Perimeter	3.638 m	Company	Innovar Sign and Design Limited
Modules per Meter	9.8			Overall Dimensions	209 mm x 1610 mm	Name	Kevin Waspe

**ACTUAL CHANNEL LETTER POPULATION AND PRODUCT PLACEMENT MAY VARY FROM THIS LAYOUT**

ChanneLED modules and power supply quantities are ESTIMATES ONLY and are based on the supplied information and drawings. Channel letter depth, lens color, material and thickness can vary, which may lead to an increase or decrease in product at the time of installation. To ensure accurate product requirements, it is recommended that product is tested using customer's specific lens material and letter configuration. SloanLED highly recommends applying Light Enhancement Paint (LEP) or Light Enhancement Film (LEF) inside channel letters for optimal illumination.



SloanLED VL Plus 3 Mini

**This design and drawing are proprietary and the property of SloanLED. Any reproduction or use without prior written approval is prohibited.**

SloanLED.com Tel 805.676.3200  
Toll-free 888.747.4LED Fax 805.676.3206